

A modern retail store interior featuring a white scooter in the foreground, clothing racks, and a display wall with various items like hats and helmets. The store has a clean, industrial aesthetic with a grey ceiling and track lighting. A large window on the right side provides natural light. The background shows a display wall with a grid of holes, holding various items like hats and helmets. To the left, there are racks of clothing, including t-shirts and jackets. A white scooter is prominently displayed in the foreground, facing the viewer. The overall atmosphere is bright and organized.

eralux[®]

ELEGANZA SERIES

Experience The Difference

- **ELEGANZA**
- **ELEGANZA MAX**
- **ELEGANZA SLIM**
- **EZM WALL-MOUNT**



ELEGANZA

- **MULTIPLE MOUNTING METHODS**

Select from multiple mounting styles

including surface, wall, cable, and stem mount.

- LUMENS PER WATT


95 LPW at 90CRI

- POWER CONSUMPTION

Up to 20W(Surface)

Up to 28W (Suspended)


- **COLOR and COLOR TEMPERATURE**



White




Black




Silver




Custom




2700k



3000k




3500k




4000k

- **BEAM ANGLE**



15°




30°



40°



55°



HEIGHT

12"

DIAMETER

5"



Surface Mount



Wall mount



Cable Mount

Stem Mount

ELEGANZA MAX

- **MULTIPLE MOUNTING METHODS**

Select from multiple mounting styles including surface, cable, and stem mount.

- LUMENS PER WATT

73 LPW at 90CRI (Standard)

79 to 91 LPW at 83 CRI


- POWER CONSUMPTION

Up to 47WATTS

- POWER

from 19-50 WATTS Can be programmed


- **COLOR and COLOR TEMPERATURE**



White




Black




Silver




Custom




2700k



3000k




3500k



4000k

- **BEAM ANGLE**



15°




30°



40°



55°



HEIGHT

12"

DIAMETER

5"

Cable Mount





Surface Mount



ELEGANZA SLIM

- **MULTIPLE MOUNTING METHODS**

Select from multiple mounting styles including surface, cable, and stem mount.


- **LUMENS PER WATT**

80-85 LPW at 90CRI


- **POWER CONSUMPTION**

Up to 15W


- **COLOR and COLOR TEMPERATURE**



White




Black




Silver




Custom




2700k



3000k




3500k



4000k

- **BEAM ANGLE**



15°




25°



40°



60°



HEIGHT

11"

DIAMETER

3"

● **Surface Mount**



Cable Mount



Stem Mount



EZM WALL-MOUNT

- **MULTIPLE MOUNTING WHITE**

- **LUMENS PER WATT**

90 LPW at 90CRI (Standard)


104 LPW at 83 CRI

- **POWER CONSUMPTION**


Up to 50W

- Up and down light


- **COLOR and COLOR TEMPERATURE**



White




Black




Silver




Custom




2700k



3000k




3500k




4000k

- **BEAM ANGLE**



15°




30°



40°



55°




HEIGHT

11"

DIAMETER

5"






Snout



Hexcel Louver



Glow Ring



Pinhole



erolux[®]
starlx[®]



<https://eralux.com>