

ACCESSORIES

Acoustic Panel

Designed to enhance sound quality and reduce noise in bustling environments, the SILENCIO features advanced sound-absorbing materials, ensuring optimal acoustic performance for spaces such as offices, conference rooms, and open-plan areas. These panels are suspended from the ceiling, offering a sleek and modern aesthetic while effectively dampening ambient noise. Easy to install with adjustable suspension cables, the SILENCIO Series provides a versatile and efficient solution for creating quieter, more comfortable spaces.

Applications: Art Galleries | Office | Retail Stores | Hospitality | Education

	DATE	QTY	ACC. QTY	TYPE
PROJECT				
PN				
ACCESSORY PN				
NOTES				



DYNAMIC MENU

Ordering Guide	Page 2
Dimensions	Page 3
Noise Reduction Data	Page 3

[Install Instructions](#)



SPECIFICATIONS

Material	100% polyester fiber
Noise Reduction Coefficient (NRC)	0.80
Flame Spread Index (FSI)	15
Smoke Developed Index (SDI)	40
ASTM E84 Classification (Fire Rating)	Class A (Highest flame inhibition class)
Length	4/6/8'
Mounting	Suspended




COLORS




TARTAR – #C8C8C8




MUSTARD – #F5B90F




WASABI – #A0C612




SOYA SAUCE – #454545



BBQ SAUCE – #CB4147



ROOT BEER – #7B5134





TILAPIA – #8E8C8C



BLUE CHEESE – #244BA2

ORDERING GUIDE



Fixture Family	Length	Color
----------------	--------	-------

NOTE • Panels come with suspension kits.


NOISE REDUCTION DATA – 8’ HOUSING

200FT ² ROOM SURFACE AREA					
REDUCTION IN REVERBERATION TIME	25%	45%	55%	60%	65%
NUMBER OF FIXTURES NEEDED	4	9	13	16	20

400FT ² ROOM SURFACE AREA					
REDUCTION IN REVERBERATION TIME	20%	30%	40%	50%	55%
NUMBER OF FIXTURES NEEDED	22	37	57	85	103

600FT ² ROOM SURFACE AREA					
REDUCTION IN REVERBERATION TIME	15%	25%	35%	40%	45%
NUMBER OF FIXTURES NEEDED	6	11	18	22	26

DIMENSIONS



LENGTH	A	B	C
4'	48 in [1219.2 mm]	12 in [304.8 mm]	0.5 in [1.27 mm]
6'	72 in [1828.8 mm]	12 in [304.8 mm]	0.5 in [1.27 mm]
8'	94.4 in [2400 mm]	12 in [304.8 mm]	0.5 in [1.27 mm]

ACCESSORIES

SUSPENSION KIT

SIZE	DESCRIPTION
4'	6.5' suspension cables (2pcs)
6'	
8'	6.5' suspension cables (3pcs)



OVERVIEW



Material

- Premium recycled material made with fire and mold resistant tissue while maximizing the absorption of noise.



Fire Inhibition

- Complex material created to inhibit fire.
- Tested flame containment and developed smoke index to be a fire rating class A material.



Simple Installation

- 3 lengths (4/6/8ft), each coming with simple suspension kit that can be quickly installed using the rope clips.



Sound Reduction

- Tested in laboratory sound reduction effect
- Noise reduction coefficient of 0.80 over a 0-20000Hz frequency spectrum.